

**Benchmark****BMG462**

## SINGLE-USE POWDER FREE NITRILE GLOVE

Lightweight, powder-free, single-use gloves with textured fingertips. Provides a very good alternative to Vinyl gloves.

### FEATURES

- › Textured finish on the fingertips to enhance grip
- › Comfortable with a 'second skin' feel
- › Latex and powder-free
- › Approved for food handling
- › Beaded cuff
- › AQL 1.5



### SUITABLE FOR

#### Typical Industries

- Aerospace
- Chemical
- Electronics
- Food
- Pharmaceutical
- Manufacturing
- Oil and Gas

#### Suitable Applications

- Chemical Handling
- Food Handling
- Handling Oily Components
- Laboratory Analysis
- Light Assembly
- Paint Spraying

### CERTIFICATION

CAT III EN ISO 374-1: 2016/Type B EN ISO 374-5: 2016



See overleaf for explanation

**Benchmark****BMG462****SUITABLE FOR**

<b>MATERIAL</b>	Nitrile
<b>COLOUR</b>	Blue
<b>LENGTH (mm)</b>	240
<b>CUFF STYLE</b>	Beaded

**RECOMMENDATIONS FOR USE**

- It is the responsibility of the end user and not the manufacturer to determine glove suitability for the intended use.
- Do not use near moving machines if there is a risk of entanglement.
- Storage: Gloves should be ideally stored in cool, dry conditions in original packaging and away from direct sunlight.
- Cleaning/Maintenance: Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be left in contaminated condition if reuse is intended in which case gloves should be cleaned as far as possible. If appropriate, decontamination may take place under lukewarm water using laundry soap and detergent. Don't use chlorine bleaches.

**PRODUCT INFORMATION**

SIZE	ITEM NO.	PACKAGING
6½-7 / S	BMG00462DD	Boxes of 200 pcs, 10 boxes per Case
7½-8 / M	BMG00462DF	
8½-9 / L	BMG00462DH	
9½-10 / XL	BMG00462DJ	
10½-11 XXL	BMG00462DL	

**CERTIFICATION LEGENDS****RESISTANCE TO CHEMICAL PERMEATION  
- EN ISO 374: 2016**

CODE	CHEMICAL	CODE	CHEMICAL
A	Methanol	J	n-Heptane
B	Acetone	K	Sodium hydroxide 40%
C	Acetonitrile	L	Sulphuric acid 96%
D	Dichloromethane	M	65% Nitric acid
E	Carbon Disulfide	N	99% Acetic acid
F	Toluene	O	25% Ammonium hydroxide
G	Diethylamine	P	30% Hydrogen peroxide
H	Tetrahydrofurane	S	40% Hydrofluoric acid
I	Ethyl acetate	T	37% Formaldehyde

TYPE OF GLOVES	BREAKTHROUGH TIME
A	≥30 min for at least 6 chemicals
B	≥30 min for at least 3 chemicals
C	≥10 min for at least 1 chemical

**PROTECTION AGAINST MICRO-ORGANISMS EN 374-5**

VIRUS = Glove has passed ISO 16604: 2004 (method B)

**ABOUT GLOBUS**

World leader in protecting hands, Globus serves organisations with bespoke hand protection solutions built from a professional range of high performance protective gloves.

Globus is proud to offer bespoke solutions that deliver robust commercial benefits not just safety improvements. We have an enviable track record in helping to reduce hand accident rates whilst delivering improved comfort and productivity as well as waste and cost reductions.

Globus applies its expertise across a spectrum of industries, meeting and exceeding a diverse range of hand protection requirements; from the rigorous demands of the petrochemical and construction industries to the complexities of clean room and aerospace manufacturing.

Find out why leading companies rely on a solution from Globus to help implement a comprehensive hand protection policy. Contact us today.

**EUROPE**[www.globus.co.uk](http://www.globus.co.uk)**E:** [sales@globus.co.uk](mailto:sales@globus.co.uk)**T:** +44 (0)161 877 4747**F:** +44 (0)161 877 4746**MIDDLE EAST AND AFRICA**[www.globusgroup.com/gcc](http://www.globusgroup.com/gcc)**E:** [gcc@globusgroup.com](mailto:gcc@globusgroup.com)**T:** +971 4 882 9962**F:** +971 4 882 9963

Globus (Shetland) Ltd, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM  
 Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

© 2019 Globus (Shetland) Ltd | BMK-DATA-BMG462-0919\_1